











Limited Warranty And Exclusive Remedy

Deepak Fasteners Limited (DFL) warrants that these products conform to industry standards specified herein and will be free from defects in materials and workmanship. This warranty is expressly given in lieu of any and all other express or implied warranties, including any implied warranty of merchantability or fitness for a particular purpose, and in lieu of any other obligation on our part of DFL will at its option, repair or replace free of charge (excluding all shipping and handling costs) any products which have not been subject to misuse, abuse, or modification and which in its sole determination were not manufactured in compliance with the warranty given above.

The remedy provided herein shall be the exclusive remedy for any breach of warranty or any claim arising in any way out of the manufacture, sale or use of these products. In no event shall Deepak Fasteners be liable for consequential, incidental or any other damages of any nature whatsoever except those specifically provided herein for any breach of warranty or any claim arising in any way of the manufacture, sale or use of these products. No other person is authorised by Deepak Fasteners to give any other warranty, written or oral, pertaining to the products.

Disclaimer

All information contained in this pricelist has been prepared to assist users in their requirements for Fasteners. The information is based on International Fastener Standards. All such source material and information beyond the control of Deepak Fastener Limited (DFL) is subject to change.

Whilst every care has been taken to ensure that all information and technical data is accurate, DFL will not be liable to any customer that relies on any matter, fact or representation nor will it be liable for any subsequent damage or loss resulting from the use of any information contained in this pricelist. Customers are advised to make their own enquiries or seek independent advice regarding the fitness and suitability of the products listed.

Deepak Fasteners Limited has the right to change the price without any information, if there is a big change in the price of steel or zinc. No guarantee can be given for DFL (hex bolt & nut) products which are plated by users and/or outside plates, who may not have considered hydrogen embrittlement problem. The products listed in this pricelist might not be stocked at DFL at all times and customers are advised to enquire the availability of the same. E. & O. E.

Note

Surface Finish: All the products, unless otherwise ordered, are supplied in black thermal finish with a coat of rust

preventive oil.

Packing : All products are supplied in standard packing as described in respective price tables. For sizes M6

(1/4) and above 3% extra packing charges will be applicable if the order quantity is less than one

carton.

Plating : No guarantee can be given for DFL products which are plated by users or by outside plates,

who may not have considered hydrogen embrittlement problem.

Pricing : GST extra as applicable.

10 Toll Free: **1800 102 3911**



Delivery:

All offers for delivery from stocks are subject to goods remaining unsold at the time of receipt of order. For forward delivery, dates are given without any guarantee and no responsibility can be accepted by the company for delay in delivery or failure to deliver due to circumstances beyond the company's control.

Infringement of patent and trade mark:

When products are forged to customer's drawings and / or specifications, the responsibility to ensure that these do not result in infringement of any patent or trademark will lie entirely with customer concerned and the customer will be solely responsible for the consequence in case of any such infringement.

Order confirmation:

The company accepts no responsibility for orders booked by the company's salesman or representatives, till it is confirmed in writing by the company.

Acceptance and return:

Wrong dispatches should be notified to the company within 15days from the date of receipt of goods and the Company's consent should be obtained in writing before return of such goods.

Force Majeure:

The company shall not be responsible for failure or delay in delivering the goods or any part thereof (or any consequential damages) due to acts of God, enemies of the Government of India, wars, revolution, embargo, riots, civil or political disturbances, strikes, lock-outs, stoppages of labour.

Certifications:



EN 15048-1:2007 EN 14399-1:2015



ISO 9001:2015



NABL ISO/IEC 17025:2017





Metric

Dia	M4 M5		M6			M8						
Length	Part No.	₹ Price/ 100 Pcs	Carton Qty	Part No.	₹ Price/ 100 Pcs	Carton Qty	Part No.	₹ Price/ 100 Pcs	Carton Qty	Part No.	₹ Price/ 100 Pcs	Carton Qty
10	616724	260	4000	616745	271	4000	616767	218	4000			
12	616725	260	4000	616746	271	4000	616768	236	4000	616815	451	1600
16	616727	304	4000	616748	319	4000	616770	273	4000	616817	510	1600
18	616728	304	4000	616749	319	4000	616771	292	3000	616818	535	2000
20	616729	333	4000	616750	347	4000	616772	310	3000	616819	563	1600
22	624809	361	4000	624810	377	4000	616773	329	3000	616820	591	1600
25	613042	361	3000	613047	377	4000	616774	353	3000	616821	636	1200
30	613044	405	4000	613049	425	3000	613054	429	3000	616823	711	1200
35	613045	432	4000	613050	481	3000	613055	488	1600	613070	833	1200
40	613046	485	3000	613051	563	3000	613056	547	1600	613071	930	800
45	794433	544	1200	613052	625	2000	613057	602	1600	613072	1,018	1200
50	794434	597	1200	613053	684	1600	613058	655	1600	613073	1,110	800
55	794435	652	1600	794437	771	1600	613059	714	1600	613074	1,183	800
60	794436	706	1600	794438	833	1600	613060	767	1200	613075	1,276	800
65				794439	930	1600	624811	832	1200	613076	1,366	800
70				794440	995	1600	624812	896	1200	613077	1,459	600
75				794441	1,062	1600	624813	960	1200	613078	1,544	600
80							624814	1,024	1200	613079	1,636	600
90							794442	1,218	800	624815	1,840	600
100							794443	1,352	800	624816	2,100	500
110							794444	1,763	800	561206	2,600	400
120							794445	1,908	600	794449	3,100	400
130							794446	2,053	600	794450	3,330	300
140							794447	2,204	400	794451	3,716	300
150							794448	2,342	400	794452	3,992	300
160										794453	4,244	200
170										794454	4,496	200
180										794455	4,747	200
190										794456	4,999	200
200										794457	5,251	200

- 1. Specifications Generally conforming to IS1364, ISO4014, 4017.
- 2. Threads ISO Metric 6g as per IS per IS4218.
- 3. Material Mechanical Properties Property Class 8.8 as per IS1367.
- 4. Note Prices for fully threaded screws beyond shaded sizes will cost 10% extra.
- 5. Marking DFL 8.8
- **6.** Plating No guarantee can given for DFL products which are plated by users or by outside plates, who may not have considered hydrogen embrittlement problem.

10% will be Charged Extra For Zinc Cr3+Plating

7. Pricing GST extra as applicable.





Grey highlighted items are full threaded

 All material is bulk packed
 Minimum order quantity is one carton for each size.





Metric

Dia	M10		M12		(M14)			M16				
Length	Part No.	₹ Price/ 100 Pcs	Carton Qty	Part No.	₹ Price/ 100 Pcs	Carton Qty	Part No.	₹ Price/ 100 Pcs	Carton Qty	Part No.	₹ Price/ 100 Pcs	Carton Qty
16	616844	915	1200	616874	1,480	600						
18	616845	965	800									
20	616846	973	800	616876	1,480	600						
22	616847	1,018	800									
25	616848	1,087	800	616878	1,628	600	616907	2,430	400	616935	3,638	200
30	616850	1,204	800	616880	1,729	600	616909	2,654	300	616937	3,527	200
35	616851	1,315	600	616881	1,894	400	616910	2,882	200	616938	3,830	200
40	613080	1,604	600	616882	2,060	400	616911	3,114	200	616939	4,135	200
45	613081	1,743	600	613093	2,458	400	616912	3,343	200	616940	4,453	200
50	613082	1,886	400	613094	2,664	400	613107	3,761	200	616941	4,721	200
55	613083	2,007	400	613095	2,869	300	613108	4,039	200	613122	5,272	200
60	613084	2,152	400	613096	3,074	300	613109	4,314	200	613123	5,639	150
65	613085	2,294	400	613097	3,223	300	613110	4,530	200	613124	6,007	150
70	613086	2,436	400	613098	3,426	300	613111	4,813	200	613125	6,373	150
75	613087	2,578	400	613099	3,627	300	613112	5,088	150	613126	6,741	150
80	613088	2,718	400	613100	3,833	200	613113	5,365	150	613127	7,107	150
85	613089	3,002	300	613101	4,235	200	613114	5,824	150	613128	7,841	150
90	613090	3,002	300	613102	4,235	200	613115	5,824	150	613129	7,841	100
95	613091	3,286	300	613103	4,631	200	613116	6,373	150	613130	8,526	100
100	613092	3,286	300	613104	4,631	150	613117	6,373	150	613131	8,526	120
110	624817	4,415	200	613105	4,998	150	613118	7,210	150	613132	9,261	90
120	624818	4,601	200	613106	5,723	150	613119	7,830	120	613133	9,996	90
130	624819	4,948	200	624823	6,159	150	613120	8,307	120	613134	10,982	60
140	624820	5,297	200	624824	6,648	150	613121	8,832	100	613135	11,748	80
150	624821	5,647	200	624825	7,087	150	624835	9,359	100	613136	12,510	60
160	794458	6,582	200	624826	7,560	100	624836	9,982	100	613137	13,378	60
170				624827	8,505	100	624837	11,765	100	624840	14,917	60
180	794459	7,332	120	624828	8,505	100	624838	11,765	100	624841	14,917	60
190				624829	9,890	100				624842	17,173	60
200	794460	8,082	120	624830	9,890	100	791593	14,610	80	624843	17,173	40
220				624831	10,880	75	791595	15,921	60	624844	18,782	40
240				624832	11,868	60	791597	17,275	50	624845	20,389	40
260				624833	13,333	60	791599	18,631	50	624846	21,996	40
280				624834	14,358	60	791601	19,985	50	624847	23,605	40
300				794424	15,309	60	791603	21,340	50	624848	25,210	40



Grey highlighted items are full threaded

- 1. Specifications Generally conforming to IS1364, ISO4014, 4017.
- 2. Threads ISO Metric 6g as per IS per IS4218.
- 3. Material Mechanical Properties Property Class 8.8 as per IS1367.
- 4. Note Sizes in brackets are non-preferred standard.

Prices for fully threaded screws beyond shaded sizes will cost 10% extra.

- 5. Marking DFL 8.8
- 6. Plating No guarantee can given for DFL products which are plated by users or by outside plates, who may not have considered hydrogen embrittlement problem.

% Toll Free: **1800 102 3911**

10% will be Charged Extra For Zinc Cr3+Plating

7. Pricing GST extra as applicable.



- All material is bulk packed
- Minimum order quantity is one carton for each size.





Metric

Dia	(M18)				M20		(M22)		
Length	Part No.	₹ Price/ 100 Pcs	Carton Qty	Part No.	₹ Price/ 100 Pcs	Carton Qty	Part No.	₹ Price/ 100 Pcs	Carton Qty
35				616995	7,107	150			
40	616965	5,502	150	616996	7,107	150			
45	616966	5,868	150	616997	7,566	100			
50	616967	6,235	150	616998	8,070	100	617029	10,041	80
55	616968	6,648	150	616999	8,526	100	617030	10,637	80
60	624849	7,473	120	617000	8,987	100	617031	11,188	80
65	613138	7,841	100	613154	10,041	80	617032	11,785	80
70	613139	8,299	120	613155	10,590	80	613172	12,883	60
75	613140	8,757	80	613156	11,141	80	613173	13,571	80
80	613141	9,171	120	613157	11,692	80	613174	14,260	80
85	613142	10,087	80	613158	12,795	80	613175	15,633	80
90	613143	10,087	80	613159	12,795	80	613176	15,633	60
95	613144	11,006	80	613160	13,892	80	613177	16,964	60
100	613145	11,006	80	613161	13,892	80	613178	16,964	60
110	613146	11,922	80	613162	14,995	60	613179	18,645	60
120	613147	12,839	60	613163	16,093	60	613180	20,042	60
130	613148	14,133	60	613164	17,895	60	613181	20,973	60
140	613149	15,090	40	613165	19,004	40	613182	22,373	40
150	613150	16,042	40	613166	19,989	40	613183	24,062	40
160	613151	16,864	60	613167	21,041	40	613184	25,478	40
170	613152	19,886	60	613168	24,806	40	613185	28,307	40
180	613153	19,886	40	613169	24,806	40	613186	28,307	40
190	624850	21,996	40	613170	27,320	40	613187	31,764	20
200	624851	21,996	40	613171	27,320	40	613188	31,764	20
220	794425	23,903	30	624854	29,828	30	613189	37,159	20
240	794426	25,912	30	624855	32,341	30	624860	40,539	20
250				624856	34,853	30			
260	794427	27,920	30	624857	34,853	30	624861	43,920	20
280	794428	29,929	30	624858	37,363	30	624862	47,297	20
300	794429	31,938	30	624859	39,873	30	791643	49,748	20

- 1. Specifications Generally conforming to IS1364, ISO4014, 4017.
- 2. Threads ISO Metric 6g as per IS per IS4218.
- 3. Material Mechanical Properties Property Class 8.8 as per IS1367.
- 4. Note Sizes in brackets are non-preferred standard.

Prices for fully threaded screws beyond shaded sizes will cost 10% extra.

- 5. Marking DFL 8.8
- **6.** Plating No guarantee can given for DFL products which are plated by users or by outside plates, who may not have considered hydrogen embrittlement problem.

10% will be Charged Extra For Zinc Cr3+Plating

7. Pricing GST extra as applicable.





Grey highlighted items are full threaded





Metric

Dia		M24			(M27)*			M30*	
Length	Part No.	₹ Price/ 100 Pcs	Carton Qty	Part No.	₹ Price/ 100 Pcs	Carton Qty	Part No.	₹ Price/ 100 Pcs	Carton Qty
50	617060	13,407	60	617088	20,224	40	617112	26,607	40
55	617061	14,141	80	617089	21,320	40	617113	27,841	40
60	617062	14,876	60	617090	22,315	40	617114	29,130	40
65	617063	15,611	60	617091	23,334	40	617115	30,363	30
70	617064	16,344	60	617092	24,355	40	617116	31,649	30
75	617065	16,746	60	617093	25,374	40	617117	32,937	30
80	613190	18,865	60	617094	26,393	40	617118	34,170	30
85	613191	20,598	60						
90	613192	20,598	40	617096	28,486	40	617120	36,747	30
95	613193	22,331	40						
100	613194	22,331	40	613209	32,348	30	613225	41,146	30
110	613195	24,063	40	613210	34,871	30	613226	44,150	20
120	613196	25,747	40	613211	37,283	30	613227	47,207	20
130	613197	26,951	32	613212	38,624	20	613228	49,353	20
140	613198	28,635	32	613213	41,038	20	613229	52,303	20
150	613199	30,320	28	613214	43,452	20	613230	55,254	20
160	613200	32,005	28	613215	46,404	20	613231	58,206	16
170	613201	35,372	24	613216	50,696	20	613232	61,308	16
180	613202	35,372	20	613217	50,696	20	613233	64,374	16
190	613203	40,425	20	613218	55,254	20	613234	66,927	16
200	613204	40,425	20	613219	55,254	20	613235	70,275	16
220	613205	44,903	20	613220	60,618	12	613236	76,177	10
240	613206	48,258	20	613221	65,447	12	613237	82,076	10
250	624868	51,612	20						
260	624869	51,612	16	613222	70,275	12	613238	87,979	10
280	624870	54,967	16	624873	75,639	12	613239	93,880	10
300	624871	58,321	16	624874	81,004	12	613240	99,779	8

1. Specifications Generally conforming to IS1364, ISO4014, 4017.

2. Threads ISO Metric 6g as per IS per IS4218.

- 3. Material Mechanical Properties Property Class 8.8 as per IS1367.
- 4. Note Sizes in brackets are non-preferred standard.

Prices for fully threaded screws beyond shaded sizes will cost 10% extra.

* Long Delivery Items - Subject to extended deliveries (3 to 4 months)

Users are advised to plan their requirements in advance.

- 5. Marking DFL 8.8
- **6.** Plating No guarantee can given for DFL products which are plated by users or by outside plates, who may not have considered hydrogen embrittlement problem.

10% will be Charged Extra For Zinc Cr3+Plating

7. Pricing GST extra as applicable.





Grey highlighted items are full threaded





Metric

Dia	(M33)*		M36*		M42*			M48				
Length	Part No.	₹ Price/ 100 Pcs	Carton Qty	Part No.	₹ Price/ 100 Pcs	Carton Qty	Part No.	₹ Price/ 100 Pcs	Carton Qty	Part No.	₹ Price/ 100 Pcs	Carton Qty
75	617141	41,575	30									
80	617142	43,237	20	617166	53,107	20						
90	617144	46,458	20	617168	56,864	18	617215	102,023	12			
100	617146	49,353	20	617170	61,155	16	617217	107,885	12	617263	150,035	4
110	613242	54,717	20	613257	66,520	16	617218	113,780	12	617264	158,279	4
120	613243	58,473	20	613258	70,812	12	617219	114,656	8	617265	159,210	4
130	613244	61,691	16	613259	74,567	12	613286	119,498	8	617266	165,842	4
140	613245	65,447	16	613260	78,857	12	613287	126,148	8	613312	185,260	4
150	613246	69,202	16	613261	83,149	12	613288	132,785	8	613313	193,645	4
160	613247	72,421	16	613262	87,440	12	613289	139,428	8	613314	202,087	4
170	613248	79,396	16	613263	96,023	12	613290	147,395	8			
180	613249	79,396	12	613264	96,023	12	613291	152,094	8	613316	218,911	4
190	613250	86,370	12	613265	104,607	8	613292	160,851	8			
200	613251	86,370	12	613266	104,607	8	613293	158,975	8	613318	226,867	4
220	613252	93,880	8	613267	113,191	8	613294	203,916	7	613319	288,372	4
240	613253	100,852	8	613268	121,773	8	613295	219,051	6	613320	307,588	4
260	613254	108,362	8	613269	130,357	8	613296	234,234	4	613321	326,803	4
280	613255	115,336	8	613270	138,938	8	613297	249,385	4	613322	346,019	4
300	613256	122,843	8	613271	147,521	8	613298	264,527	4	613323	365,235	4

- 1. Specifications Generally conforming to IS1364, ISO4014, 4017.
- 2. Threads ISO Metric 6g as per IS per IS4218.
- 3. Material Mechanical Properties Property Class 8.8 as per IS1367.
- 4. Note Sizes in brackets are non-preferred standard.

Prices for fully threaded screws beyond shaded sizes will cost 10% extra.

* Long Delivery Items - Subject to extended deliveries (3 to 4 months)

Users are advised to plan their requirements in advance.

- 5. Marking DFL 8.8
- **6. Plating** No guarantee can given for DFL products which are plated by users or by outside plates, who may not have considered hydrogen embrittlement problem.

10% will be Charged Extra For Zinc Cr3+Plating

7. Pricing GST extra as applicable.



Grey highlighted items are full threaded

 All material is bulk packed
 Minimum order quantity is one carton for each size.



C Toll Free: 1800 102 3911





Hex Nuts Metric

		_	
Diameter	Part No.	₹ Price/	Carton
2.4		100 Pcs	Qty
M4 x 0.70	623196	56	8000
M5 x 0.80	623197	76	8000
M6 x 1	623198	127	6000
M8 x 1.25	623200	248	4000
(M10) x 1.25	787925	550	1600
M10 x 1.5	623201	509	1600
M12 x 1.75	623202	679	1200
(M12) x 1.5	787926	713	1200
(M14) x 1.5	624890	1,272	600
M14 x 2	623203	1,212	600
(M16) x 1.5	787927	1,719	600
M16 x 2	623204	1,654	600
(M18) x 1.5	624891	2,773	400
M18 x 2.5	623205	2,639	400
(M20) x 1.5	624892	3,459	300
M20 x 2.5	623206	3,288	300
(M22) x 2.5	623207	4,020	200
M24 x 3	623208	5,599	200
(M27) x 3	623209	9,590	100
M30 x 3.5	623210	13,359	80
(M33) x 3.5	623211	18,110	60
M36 x 4	623212	24,745	40
M42 x 4.5	623214	40,953	20
M48 X5	623216	56,300	20

- 1. Specifications Generally conforming to IS1364, ISO4032.
- 2. Threads ISO Metric 6H as per IS4218, ISO261, ISO965.
- 3. Material and Mechanical Properties Property Class 8 as per IS1367, ISO898 Part-II.
- 4. Note Sizes in brackets are non-preferred non-standard sizes.
- 5. Marking M6 to M42 Marking will be DFL 8.
- 6. Plating No guarantee can given for DFL products which are plated by users or by outside plates, who may not have considered hydrogen embrittlement problem.

10% will be Charged Extra For Zinc Cr3+Plating

7. Pricing GST extra as applicable.





C Toll Free: 1800 102 3911





Plain Washer Metric

Diameter	Part No.	₹ Price/ 100 Pcs	Carton Qty
4mm	787853	31	16000
5mm	787854	41	8000
6mm	787855	67	8000
8mm	787856	106	6000
10mm	628850	195	4000
12mm	561034	350	3000
14mm	787857	481	1600
16mm	561035	610	1600
18mm	561051	795	1600
20mm	561030	931	1200
22mm	561033	989	1200
24mm	561036	1,745	600
27mm	561031	2,286	400
30mm	561032	2,895	400
33mm	561037	4,070	300
36mm	561038	4,970	200
42mm	561040	9,889	100
48mm	561042	20,677	100

- 1. Specifications Generally conforming to IS2016
- 2. Plating No guarantee can given for DFL products which are plated by users or by outside plates, who may not have considered hydrogen embrittlement problem.

10% will be Charged Extra For Zinc Cr3+Plating

3. Pricing GST extra as applicable.

Specialized Coatings

The product's life and quality is measured not only by its grades and standards but also by its finish, which prevents it from rusting and adds strength to the material.

Deepak Fasteners offers a wide range of generic and proprietary coating to meet exacting customer requirements. In-house capability includes Zinc / Zinc-Nickel Electroplating, Geomet, Mechanical Galvanizing, Delta Dorken, Hot Dip Galvanizing, PTFE, Unbrako Wiscoat.



All material is bulk packed
Minimum order quantity is one carton for each size.



Toll Free: 1800 102 3911



Construction Fasteners

Arc Welding Stud



The UNBRAKO Arc Welding Stud also known as shear connector is used in the construction of tall buildings, bridges and steel structures. The drawnarc process produces a full cross-sectional weld forming a bond that is greater than the surrounding material. It improves the strength of the structure.

Product Range: Metric: M13, M16, M19, M22, M25 - Any Length

Inch: 1/2", 5/8", 3/4", 7/8", 1" – Any Length

Direct Tension Indicator



UNBRAKO Direct Tension Indicator also known as Auto Torque Indicator, are single-use mechanical load cells designed to indicate the magnitude of preload in the assembly. It shows if the bolt is properly tensioned, very useful while tensioning High Strength Structural Bolts.

Product Range: Metric: M16 – M36 as per BS EN 14399-9 Unbrako Feeler Gauge is available to check if the required torque is achieved.

Tension Control Structural Bolt





Tension Control Structural Bolt is an easy to install Heavy Duty Bolt used in Steel Frame Construction. It has its own built-in torque control device. The outer socket of wrench rotates the nut until the torque control groove in the spline shears off, thereby achieving proper bolt tension.

Product Range: Metric: M12 - M30 (any length) - As Per BS EN 14399 - 10

Unbrako Electric Shear Wrench is also Available.

Rebar Coupler



Unbrako Rebar Coupler Systems, also known as Reinforcing bar couplers or coupler splicing connection, is a threaded sleeve that guarantees an ultimate tensile strength of the splice (joint) greater than that of the parent bar. Coupler splicing system is suitable for joining reinforcement bars end to end.


Product Range: Metric: 13mm to 57mm Bar Diameter

As per ASTM A615, ASTM A706, ASTM A775, ACI 318, ACI 349, A.A.S.H.T.O and UBC 1997.



Unbrako provides complete equipment for bar-end preparation on site.

Prices available on request. Contact Unbrako for further detail.





Deepak Fasteners Limited

4th. Floor, First Mall, The Mall, Ludhiana-141001. (INDIA) Tel: +91-161-5131111, 7131111, Fax: +91-161-2449050, 2774400

EASTERN REGION OFFICE

Deepak Fasteners Ltd. H.M.P. House, Mezannine Floor, Room No.34, No.4 Fairlie Place, Kolkata-700001. Mob. 93782-07773 E-mail: kolkata@deepakfasteners.com

AHMEDABAD OFFICE

Deepak Fasteners Limited. 308, Basant Complex, opp. Hdfc Bank House, Above State Bank of India, Char Rasta, Navrangpura, Ahmedabad-380009 Mob. 93756-90170 E-mail: gujarat.sales1@deepakfasteners.com

PUNE OFFICE:-

Deepak Fasteners Limited. Office No-202, Tower 2, World Trade Center, Kharadi, Pune - 411014, India Mob. 82910-85474, 93205-62822 Landline: 020 4604 7663, 020 4604 7663 E-mail: vilas@deepakfasteners.com,

WESTERN REGION OFFICE

Deepak Fasteners Limited. Office No-233, Bldg-D-8, 2nd Floor, Bhumi World, Pimplas Mumbai Nasik Highway (NH-3) Dist, Thane-421302. Mob. 93237-69275, 93205-62822. E-mail: vilas@deepakfasteners.com, mumbai@deepakfasteners.com

SOUTHERN REGION OFFICE

Deepak Fasteners Limited Ega Trade Centre, 1st Floor, Office No. 5, 809, Poonamallee High Road, Kilpauk, Chennai - 600010 Mob.: 90251-17708 Tel. No. 044-26612451, 42858843 E-mail: chennai.mkt@deepakfasteners.com